

# H. J. CONKLING

## CINCINNATI, OHIO

GILBERT AVENUE NEAR COURT ST.

LONG DIST. { CANAL 2030  
PHONES: { CANAL 2031

---

### SEWER PIPE FIRE BRICK CEMENT LIME, ETC.

---


FIRE CLAY  
GRATE TILE  
WHITE SAND  
PLASTER PARIS  
HYDRATED LIME  
HARD WALL PLASTER  
WOOD PULP PLASTER  
FLUE LININGS  
CHIMNEY PIPE  
CHIMNEY TOPS  
VITRIFIED FEED TROUGHS  
WALL COPING  
FARM DRAIN TILE  
WATER PROOFING COMPOUNDS

# Fire Clay Flue Linings


## SQUARE (2 foot lengths)

Outside Measure	Weight Per Foot	List Price
4½ x 8½ in. . .	14 lbs. . .	\$0 30 per foot
4½ x 13 in. . .	19 lbs. . .	.45 per foot
4½ x 18 in. . .	40 lbs. . .	1 00 per foot
8½ x 8½ in. . .	18 lbs. . .	.45 per foot
8½ x 13 in. . .	23 lbs. . .	.65 per foot
8½ x 18 in. . .	45 lbs. . .	.90 per foot
13 x 13 in. . .	40 lbs. . .	.85 per foot
13 x 18 in. . .	57 lbs. . .	1.20 per foot
18 x 18 in. . .	75 lbs. . .	2 00 per foot


Openings and Registers, 50 per cent. added



Plain—Round Corners



Opening—Round Corners




## Vitrified Glazed Wall Coping

List Price

8 inch and 9 inch . . . . .	\$0.35 per foot
12 inch and 13 inch . . . . .	.55 per foot
18 inch . . . . .	1.00 per foot

Corners, Angles and Closed Ends or Starters, each three time the price of one foot of Straight Coping.

## Fire Clay Stove Thimbles



Made 1-4 Inch Larger to Admit Metal Stove Pipe.



LIST PRICE EACH.

Inside Measure	4½ in. long	6 in. long	9 in. long	12 in. long
6 inch . . .	\$0.25 . . .	\$0 35 . . .	\$0.45 . . .	\$0 50 . . .
7 inch . . .	.30 . . .	.40 . . .	.50 . . .	.60 . . .
8 inch . . .	.35 . . .	.45 . . .	.60 . . .	.70 . . .



# VITRIFIED GLAZED Sewer Pipe and Fittings

---





# H. J. CONKLING, CINCINNATI, OHIO

## PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE

Adopted by the Eastern and Western Manufacturers, December 19, 1901

Calibre of Pipe	Straight Pipe per foot	Elbows and Curves each	Slants 1 foot or less per foot long side	Increasers and Reducers each	R. P. S. and Single H. H. Traps each	Double H. H. Traps each	Two Piece Traps per pair	Well Traps each	Grease Traps with bottom and cover each	Channel Pipe per foot	Y AND T BRANCHES								Stoppers or Plugs each	Flat Strainers each	Perforated Pipe per foot	Weight per Foot	Calibre of Pipe		
											1 or 2 feet long with Inlets up to and including 12 inches, each	2½ or 3 ft. long with Inlets up to and including 12 inches, each	2 feet long with Inlets 15 inches or larger, each	2½ feet or 3 feet long with Inlets 15 inches or larger, each	Double 2 ft. long with Inlets up to and including 12 inches, each	Double 2½ or 3 ft. long with Inlets up to and includ- ing 12 in., each	Double 2 feet long with Inlets 15 inches or larger, each	Double 2½ or 3 ft. long with Inlets 15 inches or larger, each							
2 in.	\$0 16	\$0 50			\$1 50	\$1 90					\$0 72	\$1 04			\$1 12	\$1 44			\$0 05 ⅓	\$0 10 ⅔	\$0 32	5 lbs.	2 in.		
3 in.	16	50	\$0 48	\$0 64	1 50	1 90	\$1 90			\$0 09 ⅜	72	1 04			1 12	1 44			5 ⅓	10 ⅔	32	7 lbs.	3 in.		
4 in.	20	65	60	80	2 00	2 50	2 40			12	90	1 30			1 40	1 80			6 ⅔	13 ⅓	40	9 lbs.	4 in.		
5 in.	25	85	75	1 00	2 50	3 13	3 00			15	1 13	1 63			1 76	2 26			8 ⅓	16 ⅔	50	12 lbs.	5 in.		
6 in.	30	1 10	90	1 20	3 50	4 25	3 60	\$2 00		18	1 35	1 95			2 10	2 70			10	20	60	15 lbs.	6 in.		
8 in.	50	2 00	1 50	2 00	6 60	7 75	6 00	3 30	\$6 00	30	2 25	3 25			3 50	4 50			16 ⅔	33 ⅓	1 00	23 lbs.	8 in.		
9 in.	60	2 40	1 80	2 40	7 50	9 00	6 60	3 90		36	2 70	3 90			4 20	5 40			20	40	1 20	28 lbs.	9 in.		
10 in.	75	3 00	2 25	3 00	9 00	11 00	7 80	4 70	7 50	45	3 40	4 90			5 30	6 80			25	50	1 50	35 lbs.	10 in.		
12 in.	1 00	4 00	3 00	4 00	15 00	16 50	12 75	6 00	10 00	60	4 50	6 50			7 00	9 00			33 ⅓	66 ⅔	2 00	43 lbs.	12 in.		
15 in.	1 35	5 40	4 05	5 40	22 00	24 00	18 75		15 00	81	6 10	8 80	\$9 15	\$11 85	9 50	12 20	\$15 60	\$18 30	45	90	2 70	60 lbs.	15 in.		
18 in.	1 70	6 80	5 10	6 80					20 00	1 02	7 65	11 05	11 48	14 88	11 90	15 30	19 56	22 96			3 40	85 lbs.	18 in.		
20 in.	2 25	9 00	6 75	9 00						1 35	10 13	14 63	15 20	19 70	15 76	20 26	25 90	30 40			4 50	100 lbs.	20 in.		
21 in.	2 50	10 00	7 50	10 00	Discounts governing price 2 inch to 24 inch will not apply on sizes 27 inch to 36 inch						1 50	11 25	16 25	16 88	21 88	17 50	22 50	28 76	33 76			5 00	120 lbs.	21 in.	
22 in.	2 75	11 00	8 25	11 00							1 65	12 38	17 88	18 57	24 07	19 26	24 76	31 64	37 14			5 50	130 lbs.	22 in.	
24 in.	3 25	13 00	9 75	13 00							1 95	14 63	21 13	21 95	28 45	22 76	29 26	37 40	43 90			6 50	140 lbs.	24 in.	
27 in.	4 25	20 00	12 75	17 00							2 55		21 25		31 88		31 88			53 14			8 50	224 lbs.	27 in.
30 in.	5 50	27 50	16 50	22 00							3 30		27 50		41 25		41 25			68 75			11 00	252 lbs.	30 in.
33 in.	6 25	30 00	18 75	25 00							3 75		31 25		46 88		46 88			78 14			12 50	310 lbs.	33 in.
36 in.	7 00	32 50	21 00	28 00							4 20		35 00		52 50		52 50			87 50			14 00	350 lbs.	36 in.

Increasers shall have sockets on small end. Reducers socket on large end. No slant to be charged at less than one foot. Excess over one foot at proportionate rate



# H. J. CONKLING, CINCINNATI, OHIO

## Ornamental Fire Clay Chimney Tops



No. 4—2 ft. high, \$2.25 ea.  
No. 5—2½ ft. high, 2.75 ea.  
Base 13 x 13 inches.



No. 7—2 ft. high, \$2.25 ea.  
No. 8—2½ ft. high, 2.75 ea.  
No. 9—3 ft. high, 3.25 ea.  
Base 13 x 13 inches.




No. 14—2½ ft. high, \$2.75 ea.  
No. 15—3 ft. high, 3.50 ea.  
Base, 13 x 13 inches.



No. 17—2½ ft. high, \$3.25 ea.  
No. 18—3 ft. high, 4.00 ea.  
Base, 13 x 13 inches.



No. 19—2½ ft. high, \$2.75 ea.  
No. 20—3 ft. high, 3.25 ea.  
Base, 12 x 16 inches.



No. 21—2 ft. high, \$2.00 ea.  
Base, 13 x 13 inches.




No. 22½—2½ ft. high, \$3.75 ea.  
No. 23 —3 ft. high, 4 25 ea.  
Base, 13 x 13 inches.



**Mandatory Top**  
2 ft. high, 6 and 7 in. diam.  
Used with Stove Pipe or Chimney base. For List Prices see Stove Pipe List.

### FIRE CLAY GRATE TILE



**"Top" Tile**  
18 to 30 in. lengths, 10 and 12 in. widths.





**"Wallace" Tile**  
18 to 26 in. lengths.



**"Convex" Tile**  
18 to 26 in. lengths.

### FIRE BRICK SHAPES







Calibre Inside, Inches	Plain, per Foot	Bonnets 2 Feet Long, Each	Bottoms 2 Feet Long, Each	Openings, Single, 2 Feet Long, Each	Openings, Double, 2 Feet Long, Each	Openings, Single, Closed Ends, 2 Feet Long, Each	Drop Bottoms 3 Feet Long, Each	Elbows, Each	Mandary Tops, Each	Wind-guard Bonnets, Without Hoods, Each	Bird Cages	Chimney Bases
6	\$ 40	\$ 1 60	\$ 1 20	\$ 1 20	\$ 1 60	\$ 1 60	\$ 2 40	\$ 1 60	\$2 50	\$ 1 60	\$2 00	\$2 00
7	50	2 00	1 50	1 50	2 00	2 00	3 00	2 00	3 00	2 00	2 50	2 50
8	60	2 40	1 80	1 80	2 40	2 40	3 60	2 40	3 60	2 40	3 00	3 00
9	70	2 80	2 10	2 10	2 80	2 80	4 20	2 80				
10	85	3 40	2 55	2 55	3 40	3 40	5 10	3 40				
12	1 10	4 40	3 30	3 30	4 40	4 40	6 60	4 40				
15	1 50		4 50	4 50	6 00			6 00				
18	1 80		5 40	5 40	7 20			7 20				
20	2 50		7 50	7 50	10 00			10 00				
21	2 75		8 25	8 25	11 00							
22	3 00		9 00	9 00	12 00							
24	3 50		10 50	10 50	14 00							
27	4 25				12 75							
30	5 50				16 50							
33	6 25				18 75							
36	7 00				21 00							
					28 00							

Additional lengths charged in proportion. Bottoms, closed Ends or Flanges added, each to be charged one foot of Pipe of the same size. Chimney Bases 18 inches high or under, to be the price of 5 feet of Pipe of size of Bowl; over 18 inches in height, the additional length to be charged. Fifty per cent. additional to be charged for Hooded Windguard Bonnets.

Plain  
2 ft. long




Bottom  
2 ft. long




Open End

Single Opening  
2 ft. long




Open or Closed End

Drop Bottom  
3 ft. long




Closed End

Anchor Bonnet  
2 ft. long




Double Opening

2 ft. long



Open or Closed End

## Fire Clay Chimney Base




6, 7 and 8 in. diameter

Base 13 x 13 inches

For use with Fire Clay  
Stove Pipe


## Vitrified Channel or Split Pipe

2 feet lengths




For List Prices see Sewer Pipe List

## Vitrified Gutter Blocks



1 ft. lengths

## Impermeable Vitrified Building Blocks



Size, 8 x 8 x 16.

Weight, 34 lbs.


Size, 8 x 10 x 16.

Weight, 50 lbs.

Size, 8 x 12 x 16.


Weight, 54 lbs.

## Vitrified Sink Hopper




List Price same as  
Sewer Pipe Reducers

## Plain Building Block



## Ribbed Building Block





# PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE

CINCINNATI, O.

ADOPTED BY THE EASTERN MANUFACTURERS MAY 1st, 1910

Calibre of Pipe	Price per Foot	Elbows and Curves Each	Slants 1 foot or less per foot long side	Increasers and Reducers Each	R. P. S. and Single H. H. Traps Each	Two Piece Traps per pair	Well Traps Each	Grease Traps with Bottom and Cover Each	Chanel Pipe per Foot	BRANCHES						Stoppers or Plugs Each	Flat Strainers Each	Approximate Weight per Foot Standard Pipe	Calibre of Pipe
										1 or 2 feet long with Inlets up to and including 12 inches Each	2½ or 3 feet long with Inlets up to and including 12 inches Each	With Inlet 15 inches or larger Each	Double 2 feet long with Inlets up to and including 12 inches Each	Double 2½ or 3 feet long with Inlets up to and including 12 inches Each	Double with Inlet 15 inches or larger Each				
3 in.	\$0 20	\$0 60	\$0 60	\$0 80	\$1 60				\$0 12	08 80	\$1 00		\$1 00	\$1 20		\$0 07	\$0 14	7 lbs.	3 in.
4 in.	25	75	75	1 00	2 00				15	1 00	1 25		1 25	1 50		08	16	9 lbs.	4 in.
5 in.	30	90	90	1 20	2 40				18	1 20	1 50		1 50	1 80		10	20	12 lbs.	5 in.
6 in.	40	1 20	1 20	1 60	3 20	\$4 20	\$2 40	\$6 60	24	1 60	2 00		2 00	2 40		13	26	15 lbs.	6 in.
8 in.	55	1 65	1 65	2 20	5 50	6 60	3 30	7 80	33	2 20	2 75		2 75	3 30		19	38	23 lbs.	8 in.
9 in.	65	1 95	1 95	2 60	6 50	7 15	3 90	9 60	39	2 60	3 25		3 25	3 90		22	44	28 lbs.	9 in.
10 in.	80	2 40	2 40	3 20	8 00	8 30	4 80	12 00	48	3 20	4 00		4 00	4 80		27	54	35 lbs.	10 in.
12 in.	1 00	3 00	3 00	4 00	15 00	12 75		16 20	60	4 00	5 00		5 00	6 00		33	67	45 lbs.	12 in.
15 in.	1 35	4 05	4 05	5 40		18 75		20 40	81	5 40	6 75	\$9 45	6 75	8 10	\$10 80	45	90	60 lbs.	15 in.
18 in.	1 90	5 70	5 70	7 60					1 14	7 60	9 50	13 30	9 50	11 40	15 20			85 lbs.	18 in.
20 in.	2 25	6 75	6 75	9 00					1 35	9 00	11 25	15 75	11 25	13 50	18 00			100 lbs.	20 in.
21 in.	2 70	8 10	8 10	10 80					1 62	10 80	13 50	18 90	13 50	16 20	21 60			120 lbs.	21 in.
22 in.	3 00	9 00	9 00	12 00	Discounts governing prices of 2 in. to 24 in. will not apply on sizes 27 in. to 36 in.				1 80	12 00	15 00	21 00	15 00	18 00	24 00			130 lbs.	22 in.
24 in.	3 25	9 75	9 75	13 00					1 95	13 00	16 25	22 75	16 25	19 50	26 00			150 lbs.	24 in.
27 in.	4 50	13 50	13 50	18 00					2 70		22 50	27 00	22 50	27 00	36 00			224 lbs.	27 in.
30 in.	5 50	16 50	16 50	22 00					3 30		27 50	33 00	27 50	33 00	44 00			252 lbs.	30 in.
33 in.	6 25	18 75	18 75	25 00					3 75		31 25	37 50	31 25	37 50	50 00			310 lbs.	33 in.
36 in.	7 00	21 00	21 00	28 00					4 20		35 00	42 00	35 00	42 00	56 00			350 lbs.	36 in.

Standard Sewer Pipe 3 inches to 36 inches in diameter.

Double Strength Sewer Pipe 15 inches to 36 inches in diameter.

Increasers are pipe with sockets on small end.

Reducers are pipe with sockets on large end.

For traps with more than one hand hole add price of 1 ft. pipe same size for each additional hole.

No Slant is to be charged at less than one foot. Excess over one foot at proportionate rate.

Minimum Car Load 24,000 pounds.

## CELLAR TRAPS

9x4 with bottom.....	\$6 00
without bottom.....	5 00
12x4 with bottom.....	9 00
without bottom.....	6 00

## SLOPS AND CLOSET BOWLS

WITH STRAINERS OR NOT

12x6 .....	\$3 50
12x4 .....	3 50
15x6 .....	5 00
15x4 .....	5 00

## VITRIFIED WALL COPING

Width	Per Foot	Angles	Corners	Starters	Weight per Foot
8 in.	\$0 40		\$1 20		10 lbs.
12 in.	60		1 80		15 lbs.
18 in.	1 20		3 60		30 lbs.



FOR DELAYS CAUSED BY STRIKES, DIFFERENCES WITH EMPLOYEES, ACCIDENTS TO MACHINERY, FIRE, FLOOD, CAR FAMINE OR OTHER CONTINGENCIES BEYOND THE CONTROL OF THE MILL OR MYSELF, I SHALL NOT BE HELD RESPONSIBLE.

H. J. CONKLING,

SEWER PIPE, FIRE BRICK,  
CEMENT, PLASTER, AND LIME.

GILBERT AVE., NEAR COURT ST.

CINCINNATI, O.

TELEPHONES } CANAL 2030.  
CANAL 2031.



Cincinnati, O. Oct. 21st., 1910.


The H. Leet Lumber Co.,

Peebles, O.

Dear Sir :

Quote for IMMEDIATE ACCEPTANCE, (subject to change without notice), **CAR LOTS**, prompt shipment, DIRECT FROM MILL, as follows:

FREIGHT TO PEEBLES, OHIO ALLOWED OFF BILL



**"ALPHA" AMERICAN PORTLAND CEMENT**  
(MADE IN PENNSYLVANIA AND NEW JERSEY.)

in 4 Paper Sacks \$..1..34....per barrel.

in 4 Cloth Sacks \$..1..54....per barrel.

ABOVE PRICES INCLUDE PACKAGES, WHICH MUST BE  
PAID FOR WITH CEMENT,

Empty Alpha Brand Cloth Sacks returned by you direct to the Mill freight prepaid, within 60 days after shipment of cement, will be purchased from you at seven and one-half ( $7\frac{1}{2}$ ) cents each, if in good condition, but only on inspection and count of the Mill.

TERMS—(CAR LOTS "ALPHA" CEMENT)—Net Cash 30 Days from Date of Each Invoice.  
One Cent per Barrel Discount for Cash within 10 Days from Date of Invoice.  
No Discount on Freight or Cloth Sacks.

Would be pleased to receive your order.

Yours truly,

**H. J. CONKLING.**

Per.....



H. J. CONKLING,  
SEWER PIPE, FIRE BRICK,  
CEMENT, PLASTER AND LIME  
GILBERT AVE., NEAR COURT ST.  
CINCINNATI, O.

TELEPHONES { CANAL 2030.  
                  { CANAL 2031.

Cincinnati, O., Sept. 27th., 1910

The H. Leet Lumber Co.,

Portsmouth, O.

Dear Sir:-

Quote **CAR LOTS**, (straight or assorted cars), shipped  
direct from factory, as follows. (Prices subject to change without notice.)

**FREIGHT TO** PORTSMOUTH, O. **ALLOWED OFF BILL :**  
(CAR LOTS OF ASSORTED SIZES.)

No. 1 SEWER PIPE (Standard 2 to 24 inch,) Discount off list 84%  
inclusive.

No. 2 SEWER PIPE (If in stock, Do. ) " " %

VITRIFIED WALL COPING, . . . " " %

FLUE LININGS . . . " " %

CHIMNEY PIPE, . . . " " %

THIMBLES, . . . " " %

CHIMNEY TOPS, . . . " " %

FIRE BRICK, . . . Per 1000, \$

FIRE CLAY, . . . Per ton, \$

TERMS:—60 days.

CASH DISCOUNT—2% off net bill (after the amount of  
freight has been deducted) for cash in 15 days.

I would be pleased to have your orders.

Yours truly,

H. J. CONKLING.

Per

N. B.—Double Strength Pipe, all sizes, and 27, 30, 33 and 36 inch Standard and  
Double Strength, quoted upon application.

ALL AGREEMENTS ARE CONTINGENT UPON STRIKES, ACCIDENTS, DELAYS OF CARRIERS AND OTHER DELAYS UNAVOIDABLE OR BEYOND MY CONTROL.



Digitized by:



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL

[www.apti.org](http://www.apti.org)

**BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

**NATIONAL  
BUILDING  
ARTS  
CENTER**

<http://web.nationalbuildingarts.org>